



ANH Refractories Europe Ltd

Dock Road South, Bromborough
Wirral, England, CH62 4SP
Tel +44 (0)151 641 5900
Fax +44 (0)151 641 5910
Email sales@anheurope.co.uk
Web www.anheurope.co.uk

SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION	This Safety Data Sheet covers the product below.
Commercial Name	VERSAFLOW 55 AR ADTECH
Description	Dry refractory castables
Manufacturer	ANH Refractories Europe Ltd Dock Road South Bromborough, Wirral CH62 4SP, England Tel: 44 (0)151 641 5900 Fax: 44 (0)151 641 5910 E-Mail: sales@anheurope.co.uk
2. INFORMATION ON INGREDIENTS	Refractory Aggregates >50 ≤100% CAS NO. 1344-28-1 Calcium Aluminate Cement >2.5 ≤10% CAS NO. 65997-16-2 Silicon Dioxide >1.0 ≤5.0% CAS NO. 60676-86-0
Impurities of a dangerous nature	None is unused product. Contains amorphous silica which may become crystalline after prolonged use at elevated temperatures (see sections 8 and 13).
3. HAZARD IDENTIFICATION	Long term exposure to Crystalline Silica can cause Silicosis. Prolonged handling can cause drying of the skin.
4. FIRST AID MEASURES	
Inhalation	Remove person to fresh air. If symptoms persist, seek medical attention.
Skin	Remove contaminated clothing and wash affected area with soap and water.
Eye	Flush eyes with plenty of clean water / saline. If symptoms persist, seek medical attention.
Ingestion	Wash out mouth with water and give plenty of water to drink.



ANH Refractories Europe Ltd

Dock Road South, Bromborough
Wirral, England, CH62 4SP
Tel +44 (0)151 641 5900
Fax +44 (0)151 641 5910
Email sales@anheurope.co.uk
Web www.anheurope.co.uk

SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION	Inhalation of finely divided material may cause respiratory tract irritations especially in a confined space. May cause local irritation to eye, throat or skin, but does not qualify as an irritant.
12. ECOLOGICAL INFORMATION	If used in the recommended manner this material does not represent a significant environmental hazard.
13. DISPOSAL CONSIDERATIONS	Unused material can be disposed of in approved landfill sites in accordance with local regulations. Before removal of redundant refractory linings, customers are advised to evaluate any changes that may be induced by the conditions under which it has been used. Consult local and EC regulations.
14. TRANSPORT INFORMATION	No special requirements not classified as hazardous according to international transport regulations.
15. REGULATORY INFORMATION Product Classification and Labelling	Symbol: Not subject to classification. R-phrases: None. S-phrases: None.
16. OTHER INFORMATION	This safety data sheet has been prepared in accordance with EC Directive 91/155/EEC and current UK and EC legislation.

